# Wastewater

# **SPBS-12**



#### **Applications**

• Sump pits in basements

#### **Features**

- 12 Volt DC pump
- The back-up system is powered by a 12 Volt DC battery (not included). The battery used should be a deep cycle marine battery rated from 105 to 140 amp-hours. A 140 amp-hour battery can provide in excess of nine (9) hours of continuous operation.
- Controller/Charger/Alarm, 10 amp
- A controller/charger monitors the battery condition and charges the battery when required. It also alerts the homeowner when the system has operated or when possible flooding conditions exist.
- Audible alarm:
  - When pump runs (must be reset)
  - When battery is discharged
- Indicator lights (LED) for:
  - Power "ON"
  - Battery charging
  - Battery fully charged
- Float switch
- Check valve for 12 Volt pump
- PVC tee for connection to existing 1-1/2" discharge pipe of primary pump
- Battery box (battery not included)
- Pump mounting bracket and clamp


#### **Engineering Data**





CHECK VALVE 1" SLIP FIT





FLOAT SWITCH (10' CABLE)



12VDC PUMP



10 AMP CHARGER CONTROLLER/ALARM



BATTERY BOX (BATTERY NOT INCLUDED)

## **Specifications**

Pump **Charger Input Charger Output** 


Model	Item	Volts	Hz	Amno	Watts	Performance (GPH @ Head)			Shut Off		Weight
No.	No.	VUIS	ПZ	Amps	walls	5'	10'	15'	Feet	PSI	(lbs.)
SPBS-12	506400	12VDC	60	8.4		1,360	1,000	570	21	9.1	17.5
	_	120VAC	60	2	230	_	_	_		_	_
	_	12VDC	_	10	_		_	l –		_	_

### **Typical Installation**

WARNING: Turn off power source before installing or adjusting this device. Failure to turn off power could result in serious or fatal electrical shock.


See detailed instructions in Owners Manual for specific installation procedures.

#### TYPICAL PUMP PERFORMANCE 12 VOLTS DC



NOTE: Little Giant Pump Company cannot be responsible for damages caused by faulty or negligent installation of this control. We recommend that you engage the services of a competent plumber, electrician, or qualified service person to install this product in accordance with national and local electrical codes.

#### 12 VOLT BATTERY BACKUP SUMP PUMP SYSTEM





Oklahoma City, OK 73157-2010 Phone: 1.800.701.7894 Fax: 1.800.678.7867 www.LittleGiantPump.com